. Rock, J. F.

Field notes of some Rhododedrons sllected by Rock in 1925 and 1926.

MA



*FIELD NOTES

OF SOME

RHODODENDRONS

COLLECTED BY

ROCK

IN

1925 and 1926.

[Rock, Joseph Francis]



FIELD NOTES OF ROCK'S RHODODENDRONS.

Shrub 5-8 feet, leaves oval, pake fawn-coloured beneath, 3-4 inches long, flowers whitish to pink, spotted?. This species occurs in remote valleys of the Kokonor region at an elevation of 10,000-11,000 feet, Rako Gorge, Kokonor.

Sept. 28, 1925.

Shrub 4-5 feet, leaves small, bronze-coloured, very aromatic, flowers small, whitish pink, tubular, occurs with No. 13,278, moist moss-covered slopes of Rako Gorge, Kokonor region. This as well as No. 13,278 likes moist mossy slopes exposed to afternoon sun, only found on eastern slope of Rako valley.

Sept. 28, 1925.

13,302. Rhod. Sp. Przewalskii haum Shrub 4-6-8 feet, stiff branches,

forming globose mosses, leaves thick leathery, bright green on top paler beneath, glabrous on both sides, flowers said to be white, large, only found on the wet north-eastern slopes of the Tapan shan, a pass in the Manshan range, 12,000-12,500 feet elevation, none on the south-west slopes where snow probably quickly The north-eastern slopes retain the snow and the steep slopes are marshy, the soil loose. occurs a small white tubular flowered aromatic leaves and with 13,303, North-west Kansu, China. Oct., 1925.

13,303. Rhod. Sp. thymifolium haim
Erect shrub with erect branches
2-3 feet tall, leaves very small, flowers
blue, occurs in the same locality and
in company with No. 13,302, Northwest Kansu. Oct., 1925.

Shrub 2-3 feet tall, leaves oval very small, flowers purplish blue, swampy meadows of Mount Kwang Kei, 11,500 feet elevation, Tebbu land.

Oct., 1925.

Shrub 5 feet, leaves oval, pubescent beneath, very aromatic, flowers white, tubular, Mount Kwang Kei shan, 11,500 feet elevation, west Tebbu land.

Oct., 1925.

13,598. Rhod. Sp. thymifolium beauin Shrub 3 feet, leaves minute, flowers bluish purple, in swampy meadows of Kwang Keishan, 12,500 feet elevation, west Tebbu land. Oct., 1925.

Shrub 5-6 feet tall, leaves obovate, deeply brown woolly beneath, flowers white-pink, fruits brown tomentose at the base but deciduous, Mount Kwang Ku, Rhododendron Abies forest, 12,000 feet elevation, Tebbu land.

Oct., Nov., 1925.

13,600. Rhod. Sp. capitatum Maxim.

Shrub 3-4 feet tall, leaves small, elliptical, flowers purple to blue, Alpine meadows of Mount Kwang Kei, 12,500 feet elevation, Tebbu land.

Oct., 1925.

13,601. Rhod. Sp. rufum Batal.

Shrub 6-10 feet, leaves large, obovate oblong, densely floccosetomentose beneath, flowers pink, Kwang Kei shan, 12,000 feet elevation, in Abies forest, Rhododendron forming the undergrowth. Oct., 1925.

13,605. Rhod. Sp. Capitatum haum.

Shrub 3-4 feet, leaves small, oval, black, flowers bluish, Kwang Kei shan along stream, 11,500 feet elevation, Tebbu land.

Oct., 1925.

13,610. Rhod. Sp. anthopogonoides hammed Shrub 4-5 feet, leaves very aromatic, flowers tubular, white, Lienhoa shan, Central Kansu, 10,000 feet elevation.

Oct., 1925.

13,611. Rhod. Sp. Capitatum haum
Shrub I foot or less, leaves tiny,
oval rounded, flowers purplish blue,
Lienhoa shan, 11,500 feet elevation,
among rocks, Central Kansu.

Oct., 1925.

13,612. Rhod. Sp. Przewalskie Maram.
Shrub 3-4 feet, leaves oval, acute scaly, tomentose beneath, flowers?,
Lienhoa shan, 11,000 feet among limestone rocks, Central Kansu.

Oct., 1925.

13,613. Rhod. Sp. rufum Botal.

Shrub or small tree 10-15 feet, leaves oval, acute, young leaves pale whitish woolly beneath, old ones with thick rufons tomentose, flowers large, colour probably pink, Lienhoa shan, 11,500 feet elevation, Central Kansu, in Abies forest. Oct., Nov., 1925.

13,622. Rhod. Sp. Capitatum Maxim
Shrub 3 feet, leaves elliptical, pale
green beneath, flowers medium sized,
violet to bluish purple, mountain
west of Adjican 10,500-11,000 feet,
with Cæragana and Junipers, east
Tebbu land. Oct., 1925.

13,628. Rhod. Sp. review Batal.

Shrub or small tree 6-10 feet, leaves large, obovate oblong, deep cinnamon tomentose beneath, flowers large deep pink spotted purple, with Picea, 11,500 feet elevation, Tebbu land.

Oct., 1925.

Shrub 4-5 feet, forming dense masses, limit of shrub vegetation, leaves glabrous green on both sides, flowers in compact umbels, white, Mount Kwang Kei, 12,000-12,500 feet elevation, Tebbu land.

Sept., Oct., 1925.

13,630. Rhod. Sp. rufum Batal. Tree 15-20 feet, leaves

Tree 15-20 feet, leaves large, obovate oblong, deep rufons tomentose beneath, flowers large pinkish purple, spotted, Mount Kwang Kei in Abies forest, 11,500 feet elevation, Tebbu land.

Oct., 1925.

Shrub 3 feet, leaves elliptical, oblong, flowers bluish purple, Maerhku, in Abies forest, 11,000 feet, East Tebbu land. Oct., 1925.

Shrub 2-3 feet, leaves small, dark brown beneath, flowers bluish purple, Abies and Picea forests also covering steep mountain slopes like heather, Djrakana, Tebbu land, 11,000 feet elevation.

Oct., 1925.

13,636. Rhod. Sp. anthopogonoides Maxim Shrub 5 feet, leaves very aromatic, flowers white, tubular, Maerhku, in Picea forest, 10,000 feet elevation. Oct., 1925.

13,640. Rhod. Sp. rufum Balal
Shrub 4-5 feet, leaves oval with deciduous tomentum, flowers purplish pink, large, Maerhku in Abies and Picea forests, 10,500 feet elevation, east Tebbu land.
Oct., 1925.

13,643. Rhod. Sp. rufum Bolal.

Shrub 4-5 feet, leaves small, oval,

2\frac{1}{2} inches I inch broad, rufons
tomentose beneath, flowers white
purplish lilac tinge, Abies and Picea
forests, Maerhku 10,500 feet elevation, East Tebbu land. Oct., 1925.

13,645. Rhod. Sp. rufum Batal.
Shrub 4-8 feet, leaves oval, flowers pink, Kadjaku valley, steep rocky slopes, 10,500 feet, west Tebbu land.
Oct., 1925.

13,647. Rhod. Sp. rufum Batal.

Shrub 4-5-6 feet, leaves oblong, tomentose beneath, flowers pinkish white spotted purple, mountains of Adjuan west, 10,500-11,000 feet, east Tebbu land, among Abies and Picea. Oct., 1925.

13,649. Rhod. Sp. rufum Batal. Shrub 5 feet, leaves oblong, acute,

rufons tomentose beneath, flowers ?, Maerhku, Picea forest 10,500-11,000 feet elevation, Minshan (Tebbu) slopes. Oct., 1925.

13,650. Rhod. Sp. rufum Bold Shrub 8 feet, leaves oblong, flowers pink, Maerhku, Picea forest, among these large-leaved Rhododenare many natural hybrids apparently they extremely are variable, North Minshan, 10,500 feet. Oct., 1925.

13,674. Rhod. Sp. capitatum haxim. Shrub 2-3 feet, leaves very small,

flowers bluish purple, attractive. Kadjaku valley 10,000-10,500 feet elevation, west Tebbu land meadows and under willows along stream. Oct., 1925. Shrub 4-5 feet, leaves oval, tomentum, deciduous, flowers large pink, Maerhku valley, Abies and Picea forests 10,500-11,000 feet elevation, North Minshan. Oct., 1925.

13,676. Rhod. Sp. Capitatum Maxim.
Shrub 3-4 feet, leaves oval acute, silvery, glossy beneath, flowers white, Maerhku, 11,000 feet, Picea-Abies forests, North Minshan. Oct., 1925.

Shrub 4 feet, leaves large oblong, perfectly glabrous, dark green above, pale green beneath, dull, flowers white, west of Adjuan, 10,500-11,000 feet, east Tebbu land, grassy and rocky steep slopes. Sept., Oct., 1925.

13,678. Rhod. Sp. rufum Balal.
Shrub 5-8 feet, leaves large, oblong, white tomentose beneath, brown when old, flowers?, west of Adjuan, 10,500 feet, east Tebbu land, Abies forest.
Oct., 1925.

Shrub 3-4 feet, leaves small, oval, 1-2 inches leathery green glabrous, flowers white, below Mount Kwang Kei, Durakana, Tebbu land among limestone rocks, 11,500 feet in Abies forest.

Oct., 1925.

13,680. Rhod. Sp. rufum Batal.
Shrub to tree 8-12 feet, leaves long, oblong flowers pinkish, same locality and together with 13,679.

13,681. Rhod. Sp. Vizewalskii Mayine.
Shrub 46 feet, leaves large, oval oblong green glabrous on both sides, flowers white, same locality and together with 13,679 and 13,680, Tebbu land.

Oct., 1925.

13,682. Rhod. Sp. runtum Katal.

Shrub 4-6 feet, leaves narrow, oblong to elliptical, densely woolly tomentose beneath, flowers?,

Maerhku valley, North Minshan,
10,500-11,000 feet elevation.

Oct., 1925.

13,683. Rhod. Sp. rufum Botal.
Shrub 5 6 feet, leaves oval, acute, woolly brown beneath, small, Maerhku valley, North Minshan, 9,500-10,000 feet elevation.

Oct., 1925.

13,684. Rhod. Sc. rufum Botal. Shrub 6-8 feet, leaves large, oblong,

Shrub 6-84eet, leaves large, oblong, acute, woolly brown beneath (fruiting) capsules woolly brown, flowers? Shiaoku, below Mount Lissedzadza, 10,500-11,000 feet elevation, east Tebbu land. Oct., 1925.

13,685. Rhod. Sp. Vresewalskii Marin.
Shrub 4-5 feet, leaves oval, acute pale chocolate coloured, glossy beneath, west of Adjuan, Alpine region, 10,500-11,000 feet elevation, Abies forest, east Tebbu.

Oct., Nov., 1925.

Shrub 5 feet, leaves small 2 inches, pale semi-glabrous beneath, flowers?

Djrakana beyond Kwang Kei shan,

10,500-11,500 feet elevation, west Tebbu land. Sept., Oct., 1925. 13,688. Rhod. Sp. capitatim Making Shrub I foot, leaves very small, flowers bluish purple, Kadjaku Valley on rocky steep mountain slopes, 10,500-11,000 feet elevation, west Tebbu land. Oct., 1925.

13,691. Rhod. Sp. rustum Botal,
Shrub 6-8 feet, leaves oblong,
tomentose, flowers?, Maerhku, Abies
and Picea forests, 10,500 feet elevation. Oct., 1925.

13,692. Rhod. Sp. rufum Catal.

Tree 15 feet or more, leaves very large, oblong, acute, white woolly when young, rufon when old, flowers?, Maerhku, North Minshan, 10,500-11,000 feet.

Oct., 1925.

Shrub 5-6 feet, leaves thick, leathery, thickly rufons beneath, elliptical, oblong, flowers?, Maerhku Valley, North Minshan in Abies and Picea forests, 10,500 feet elevation.

Oct., 1925.

Shrub 3-4 feet, leaves elliptical, pale green, glabrous on both sides, flowers white, Kadjaku, below Mount Kwang Kei, 11,500-12,000 feet elevation, Tebbu land.

Oct., 1925.

Shrub 6-8-15 feet, leaves large, broadly oval, glaucous, pubescent, beneath, flowers?, Kadjaku with No. 13,694, in open Alpine region, 12,000 feet. Sept., Oct., 1925.

Shrub or small tree 15 feet, leaves large, with deciduous tomento, flowers?, Kadjaku, Abies forest, flowers of these species are pinkish with deep purple, Tebbu land.

Oct., 1925.

Shrub 6-8 feet, leaves oval, elliptical, rufons tomentose, flowers?, Kadjaku below Mount Kwang Kei, Tebbu land, 10,500-11,000 feet elevation. The Rhododendron here enumerated with tomentose leaves represents several species but also several natural hybrids. They vary greatly especially when seen in flower, also in habit. Oct., 1925.

14,928. Rhod. Sp. rufum Batal

Shrub 8-15 feet with many spreading branches, leaves large oblong, dark green, glossy above, young leaves pale vellowish-white, tomentose beneath, old leaves cinnamon grown tomentose, flowers large, pale to deep pink spotted purple, in large umbels. This species forms the undergrowth to the exclusion of everything else in Abies forest on the steep slopes in Laliku or Lali Valley, between 11,000 to 12,000 feet elevation. Its place at the higher levels is taken by another species. The ground was covered with 2 feet of snow and the temperature on Oct. 18th, at 11,000 feet elevation was 15 degrees F. Rhododendrons from this and other regions of the Minshan are bound to thrive in Boston, at least they can stand the coldest weather, but what about summer heat is another story.

Oct. 18, 1926.

Shrub 5-6 feet, branches erect, leaves small, linear, elliptical, I inch long, brownish dotted beneath, flowers small, white in dense racemes, dry gorges of Chulungapu near Wantsang, 7,000 feet elevation, Ha Tebbu land. Sept., Oct., 1926.

Shrub 10-15 feet, leaves large, oblong, densely tomentose beneath, dark green above, flowers?, forest of Wantsang with Abies trees, 10,000-10,500 feet elevation, Ha Tebbu land.

Sept., Oct., 1926.





Li Arnold